

**Series 4, wall-mounted cooker hood,
90 cm, clear glass black printed
DWK96AJ60M**



DWA0LK6A carbon filter

**The wall-mounted chimney hood: mount it
on the wall, giving you complete freedom
in your kitchen planning.**

- **Silent:** maximal extractor performance with little noise
- **3-Speed Power Level Options To Suit Your Cooking Style And Recipes**

Typology:Wall-mounted
 Length electrical supply cord: 200.0 cm
 Height of product, without chimney: 350 mm
 Net weight: 15.5 kg
 Type of control:Electronic
 Number of speed settings: 3
 Max. air extraction: 638 m³/h
 Max. air recirculation: 290 m³/h
 Number of lights: 2
 Noise level: 64 dB(A) re 1pW
 Diameter of air outlet: 120 / 150 mm
 Grease filter material:Washable aluminium
 Odour filter: No
 Operating Mode: Convertible
 Optional accessories: DWA0LK6A
 Grease filter type:Kassette
 Clean filter reminders:No
 Connection rating: 216 W
 Voltage: 220-240 V
 Frequency: 50 Hz
 Plug type: GB plug
 Installation typology:Wall-mounted
 Plug type: GB plug
 Dimensions of the product, with chimney (if exists) (in):x
 Dimensions of the packed product: 17.91 x 27.36 x 17.91
 Net weight: 34.000 lbs
 Gross weight: 41.000 lbs
 Motor location: Integrated motor in hood body
 No-return airflow flap: No
 Length electrical supply cord: 200.0 cm
 Dimensions of the product, with chimney (if exists): .x 896.0 x 386.0
 mm
 Dimensions of the packed product (HxWxD): 455 x 695 x 455 mm
 Net weight: 15.5 kg
 Gross weight: 18.6 kg



**Series 4, wall-mounted cooker hood,
90 cm, clear glass black printed
DWK96AJ60M**

**The wall-mounted chimney hood: mount it
on the wall, giving you complete freedom
in your kitchen planning.**

Variant:

Design:

- Wall mounted hood
- 90 cm Chimney hood
- 896 mm width
- black with glass canopy

Comfort:

- Suitable for ducted or re-circulated extraction
- Recirculating kit
- TouchControl with Electronic display
- Electronic via TouchControl with Electronic display
- 3 speeds
- Metal grease filter, dishwasher safe
- Filter cover glass

Environment and safety:


Technical information:

Measures:

- Dimensions exhaust air (HxWxD): 750-1080 x 896 x 386 mm
- Dimensions recirculating (HxWxD): 860-1080 x 896 x 386 mm
- Diameter pipe Ø 150 mm (Ø 120 mm enclosed)


**Series 4, wall-mounted cooker hood,
90 cm, clear glass black printed
DWK96AJ60M**

measurements in mm



- A:** Exhaust air
- B:** Circulated air
- C:** Air outlet – slots for exhaust air to be mounted facing down

measurements in mm



- A:** Exhaust air outlet
- B:** Socket
- C:** min. 470 electric / min. 570 gas, from upper edge of pan support

measurements in mm

